CLAIM AMENDMENTS

Please amend claims 3 and 5 through 18 as set forth in the following listing of claims:

I CLAIM:

- (original) A luminescent device comprising a gaseous tritium light source (GTLS) 1. which provides a light output of pre-determinable intensity.
- (original) A device according to Claim 1, wherein the GTLS comprises 10 to 20 2. mCi of tritium.
- (currently amended) A device according to Claim 1 either one of Claims 1 and 2, wherein the GTLS is located with an outer casing having at least one optically transparent or translucent portion.
 - (original) A device according to Claim 3, wherein the outer casing is steel. 4.
- (currently amended) A device according to Claim 3 either one of Claims 3 and 4, wherein the transparent or translucent portion comprises a neutral density filter.
- (currently amended) A device according to Claim 3 any one of Claims 3 to 5, wherein the transparent or translucent portion is formed from glass or plastic.
- (currently amended) A device according to Claim 1 any one of Claims 1 to 6, wherein the device further comprises colouring means to alter the colour of the light output of the GTLS.
- (currently amended) A device according to Claim 1 any one of Claims 1 to 7, wherein the GTLS is held within a housing, the housing being located in the outer casing.
- (currently amended) A device according to Claim 1 any one of Claims 1 to 8, which is sized and shaped to calibrate the optical output of scientific apparatus. 9.

- 10. (currently amended) A device according to Claim 9, wherein said apparatus is selected from a group consisting of a luminometer, a fluorometer, a spectrophotometer, a scintillation counter, a photomultiplier, an avalanche photodiode or a CCD camera.
- 11. (currently amended) A device according to <u>Claim 1</u> any one of <u>Claims 1 to 8</u>, wherein said device comprises a scalebar graticule.
- 12. (currently amended) A device according to <u>Claim 1</u> any one of <u>Claim 1 to 8</u>, wherein said device comprises a filter array.
- 13. (currently amended) A kit comprising two or more luminescent devices according to Claim 1 any one of Claims 1 to 12, each of said devices providing a light output of a distinct intensity to the other devices of said kit.
- 14. (currently amended) A kit according to Claim 13, further comprising a magnetic handling tool and wherein each of said devices includes a magnetic component.
- 15. (currently amended) A kit according to Claim 12 either one of Claims 12 and 13, comprising three or more devices, each having a light output of a distinct intensity to the other devices of said kit.
- 16. (currently amended) A light measuring apparatus comprising a luminescent device as claimed in Claim 1 any one of Claims 1 to 12, housed in a sample holder of said apparatus.
- 17. (currently amended) An apparatus as claimed in according to Claim 16, which is selected from the group consisting of a luminometer, a fluorometer, a spectrophotometer, a scintillation counter, a photomultiplier, an avalanche photodiode or a CCD camera.
 - 18. (currently amended) A method of analyzing a sample, said method comprising;
- i) calibrating an apparatus able to detect light output using a device as claimed in Claim 1 in any one of claims 1 to 12;
- ii) inserting said sample into the calibrated apparatus and obtaining a reading thereof.

19. A method as claimed in Claim 18, wherein the sample comprises living cells.